



2017



PASSENGER CAR TYRE CATALOG

VERSION 1.0





- 1 Asymmetric tread design improves grip performance on both wet and dry ground.
- 2 Continuous tightened belt improves the durability at high speed.
- 3 Specialized low-noise tread formula further improves the noise reduction ability.
- 4 Rim Guard design is used in bead area to protect the rim from damage.

25		30		35		40		45		50			
245/25R22	100V XL	225/30ZR20	85W XL	275/30ZR19	96W XL	225/35ZR20	90W XL	265/40R22	106V XL	255/45R20	105V XL	265/50R20	111V XL
255/25ZR28	95W XL	235/30ZR22	90Y XL	275/30R20	97V XL	225/35ZR20	93W XL	275/40R20	106V XL	265/45ZR20	108W XL	275/50ZR20	109W SL
275/25R20	91W XL	235/30ZR22	90W XL	275/30ZR20	97W XL	235/35ZR20	88W SL	275/40R20	106W XL	265/45ZR20	104W SL	285/50R20	116V XL
275/25ZR24	96W XL	245/30ZR22	92W XL	275/30ZR24	101W XL	235/35ZR20	92W XL	295/40R21	111V XL	265/45R21	104V SL	285/50R20	112V SL
275/25ZR26	98W XL	245/30ZR24	94W XL	285/30R20	99W XL	245/35ZR20	95W XL	295/40R21	107V SL	265/45ZR21	104W SL	55	
275/25ZR28	99W XL	255/30ZR22	95W XL	285/30ZR20	99W XL	255/35ZR20	97W XL	295/40ZR21	111W XL	275/45ZR20	110W XL		
275/25ZR30	101W XL	255/30ZR24	97W XL	285/30ZR20	95W SL	265/35R22	102V XL	295/40ZR21	107W SL	275/45R20	110V XL	275/55R20	117V XL
285/25ZR20	93W XL	255/30ZR26	99W XL	285/30R22	101V XL	295/35ZR21	107W XL	305/40R22	114V XL	295/45ZR20	114W XL	275/55R20	117H XL
285/25ZR22	95W XL	255/30R30	104V XL	295/30ZR22	103W XL	295/35ZR21	107Y XL			305/45R22	118V XL	60	
295/25R22	97V XL	265/30R22	97V XL	295/30R24	105V XL	295/35R24	110V XL			305/45R22	118H XL		
295/25ZR22	97W XL	265/30ZR22	97W XL	295/30ZR26	107W XL	305/35ZR24	112W XL			305/45ZR22	118W XL	275/60R20	115H SL
295/25ZR28	103W XL	265/30ZR30	106W XL	305/30R26	109V XL								





- 1 Variable pitch sequence tread design brings low noise.
- 2 Specialized low-noise tread formula further improves the noise reduction ability.
- 3 Continuous tightened belt improves the durability at high speed.
- 4 Rim Guard design is used in bead area to protect the rim from damage.

35		40		45		50		55			60		
215/35ZR18	84W XL	205/40ZR17	80W SL	215/45ZR17	87W SL	195/50R15	82V SL	195/55R15	85V SL	215/55R17	94V SL	225/60R16	98H SL
235/35ZR18	90W XL	205/40ZR17	84W XL	215/45ZR17	91W XL	205/50R16	87V SL	195/55ZR15	85W SL	225/55R16	95V SL	65	
235/35ZR18	86W SL	215/40ZR17	83W SL	225/45ZR17	94W XL	205/50ZR16	87W SL	205/55R16	90V SL	225/55R16	99V XL		
235/35ZR19	87Y SL	215/40ZR17	87W XL	245/45ZR17	99W XL	215/50ZR17	95W XL	205/55R16	91V SL	225/55ZR16	95W SL	205/65R15	94H SL
235/35ZR19	87W SL	225/40ZR18	88W SL	245/45ZR17	95W SL	225/50R16	92V SL	205/55ZR16	90W SL	225/55ZR16	99W XL		
235/35ZR19	91W XL	225/40ZR18	92W XL	245/45ZR17	95Y SL	225/50ZR16	92W SL	205/55ZR16	91W SL	225/55R17	97V SL		
235/35ZR19	91Y XL	245/40ZR17	95W XL	245/45ZR18	100W XL	225/50R17	98W XL	205/55ZR16	94W XL	235/55R17	103V XL		
		245/40ZR18	97W XL			225/50ZR17	98W XL	215/55R16	97V XL	235/55ZR17	103W XL		
						235/50ZR17	96W SL	215/55ZR16	97W XL				





- 1 Asymmetric tread design improves grip performance on both wet and dry ground.
- 2 Continuous tightened belt improves the durability at high speed.
- 3 Specialized low-noise tread formula further improves the noise reduction ability.
- 4 Rim Guard design is used in bead area to protect the rim from damage.

35		40		45		50		55		60			
215/35ZR18	84W XL	205/40ZR17	80W SL	215/45ZR17	87W SL	225/45ZR17	94W XL	205/50ZR17	93W XL	205/55R16	94W XL	215/60R16	95V SL
235/35ZR19	87Y SL	205/40ZR17	84W XL	215/45ZR17	91W XL	225/45R18	95W XL	215/50ZR17	95W XL	215/55R17	98V XL	225/60R17	99H SL
235/35ZR19	87W SL	215/40ZR17	83W SL	225/45R17	90V SL	235/45ZR17	97W XL	225/50R16	92W SL	215/55ZR17	94W SL	225/60R17	99V SL
235/35ZR19	91W XL	215/40ZR18	89W XL	225/45R17	91V SL	245/45ZR17	99W XL	225/50R17	98V XL	225/55R16	99V XL		65
235/35ZR19	91Y XL	215/40ZR18	85W SL	225/45R17	94V XL	245/45R18	100V XL	235/50ZR17	96W SL	225/55R17	97V SL		
245/35R18	92V XL	225/40ZR18	88W SL	225/45ZR17	90W SL	245/45ZR18	96W SL	255/50ZR18	102W SL	225/55R17	101V XL	205/65R15	94H SL
245/35ZR18	92W XL	225/40ZR18	92W XL	225/45ZR17	91W SL	245/45ZR19	98W SL			225/55ZR18	102W XL	205/65R15	94V SL
245/35ZR19	93W XL	235/40ZR18	91W SL							235/55R17	103V XL		
265/35ZR18	97W XL	235/40ZR18	95W XL										
		245/40ZR17	95W XL										
		245/40R18	97V XL										





- 1 "V" shape directional tread pattern design provides great handling performance.
- 2 Continuous tightened belt improves the durability at high speed.
- 3 Rim Guard design is used in bead area to protect the rim from damage.
- 4 Continuous center rib improves steering response at high speed.

25		30				35				40		45	
275/25ZR24	96W XL	225/30ZR20	85W XL	255/30ZR24	97W XL	225/35ZR20	90W SL	265/35ZR19	98Y XL	235/40ZR18	91W SL	235/45ZR17	97W XL
275/25ZR26	98W XL	225/30ZR20	85Y XL	255/30R24	97V XL	225/35ZR20	93W XL	265/35ZR19	94Y SL	235/40ZR18	95W XL	235/45ZR17	94W SL
		235/30ZR22	90W XL	275/30ZR24	101W SL	245/35ZR19	93W XL	265/35R22	102V XL	265/40R22	106V XL	235/45ZR17	93W SL
		235/30ZR22	90Y XL	295/30R26	107V XL	245/35ZR19	89W SL	285/35R22	106V XL	265/40ZR22	106W XL	275/45R20	110V XL
		245/30ZR22	92W XL	295/30ZR26	107W XL	245/35ZR19	89Y SL	285/35ZR22	106W XL	275/40R20	106V XL	275/45ZR20	110W XL
		245/30ZR22	92Y XL	305/30R26	109V XL	245/35R20	95V XL	295/35R24	110V XL	275/40ZR20	106W XL		55
		255/30ZR22	95W XL	305/30ZR26	109W XL	245/35ZR20	95Y XL	295/35ZR24	110W XL	305/40R22	114H XL		
						245/35ZR20	95W XL	305/35ZR24	112W XL			275/55R20	117H XL
						255/35ZR20	97W XL	305/35ZR24	114W XL			275/55R20	117V XL





- 1 "V" shape directional tread pattern design provides great handling performance.
- 2 Continuous tightened belt improves the durability at high speed.
- 3 Special profile design, enlarging the tread width, drive stability improved.

35		40		45		50					
215/35ZR18	84W XL	205/40ZR17	80W SL	225/40ZR18	88W SL	195/45R15	78V SL	225/45ZR17	94W XL	195/50R15	82 SL
225/35ZR20	93W XL	205/40ZR17	84W XL	225/40ZR18	92W XL	195/45ZR16	84W XL	235/45ZR17	97W XL		
245/35ZR20	95W XL	215/40ZR17	83W SL	235/40ZR18	91W SL	215/45ZR17	87W SL	235/45ZR17	94W SL		
255/35ZR20	97W XL	215/40ZR17	87W XL	235/40ZR18	95W XL	215/45ZR17	91W XL	235/45ZR17	93W SL		



# UHP 530A



- 1 Double 'V' shape groove design improves drainage performance.
- 2 Continuous tightened belt improves the durability at high speed.
- 3 Special profile design, enlarging the tread width, drive stability improved.
- 4 Directional tread pattern design provides great handling ability.

40			
225/40ZR18	88W SL	225/40ZR18	92W XL

# UHP ECO-BLUE



- 1 Broad shoulder design provides good grip performance.
- 2 Short pitch sequence and large number of irregular arranged tread pattern bring low noise.
- 3 Double central ribs improve the durability at straight speed.
- 4 Open shoulder grooves improve heat dissipation and drainage performance.

40		50		55		65	
225/40ZR18	92W XL	195/50R15	86V XL	205/55R16	91V SL	175/65R14	82H SL
235/40ZR18	95W XL	205/50ZR17	93W XL	215/55ZR16	97W XL	185/65R14	86H SL
45		215/50ZR17	95W XL	60		185/65R15	88H SL
225/45ZR17	94W XL			185/60R15	88H XL	195/65R15	91H SL
235/45ZR17	97W XL			195/60R15	88H SL		



# Standard WG880



- 1 Longitudinal and discontinuous shoulder grooves suppress uneven wear effectively.
- 2 High wear-resistance formula ensures high mileage.
- 3 The sipes on shoulder bring low noise and better heat dissipation performance.
- 4 With 3 drainage grooves provide good drainage performance and prevent tire slide on wet road.

60		65		70	
185/60R14	86H XL	195/65R15	91H SL	175/70R14	84H SL
195/60R14	86H SL	205/65R15	94H SL		
195/60R15	88V SL				

# Standard W90A



- 1 All-season tire brings a wide range of adaptability.
- 2 Wear resistance tread formula highly increases tire mileage.
- 3 Variable pitch sequence tread design brings low noise.

60		65		70		75	
165/60R14	75T SL	155/65R13	73T SL	165/70R13	79T SL	215/75R15	100S SL
165/60R14	75H SL	165/65R13	77Q SL	165/70R14	81T SL	155/80R13	79T SL
185/60R14	82H SL		70	175/70R13	82H SL		80
185/60R14	86H XL	145/70R12	69Q SL	175/70R13	82T SL	165/80R13	83T SL
		155/70R13	75S SL				





- 1 Variable pitch sequence tread design brings low noise.
- 2 Specialized low-noise tread formula further improves the noise reduction ability.
- 3 Continuous tightened belt improves the durability at high speed.
- 4 Directional tread pattern design provides great handling ability.

45		55		60		65			70				
195/45R15	78V SL	185/55R14	80H SL	185/60R14	82H SL	175/65R14	82H SL	195/65R15	91H SL	175/70R13	82T SL	185/70R14	88T SL
195/45ZR16	84W XL	195/55R15	85V SL	185/60R14	86H XL	175/65R14	84H SL	195/65R15	95H XL	175/70R13	82H SL	195/70R14	95T XL
205/45ZR17	88W XL	195/55ZR15	85W SL	185/60R15	88H XL	175/65R14	86H XL	205/65R15	94H SL	175/70R14	88T XL	195/70R14	91T SL
50		205/55R16	90V SL	195/60R14	86H SL	185/65R14	86T SL	205/65R15	94V SL	175/70R14	84T SL	195/70R15C	104/101R SL
		205/55R16	91V SL	195/60R14	86V SL	185/65R14	86H SL	215/65R15	100H XL	185/70R13	86T SL	205/70R14	98T XL
195/50R15	82V SL	205/55R16	94V XL	195/60R15	88H SL	185/65R14	90H XL	215/65R16	98H SL	185/70R14	92T XL	205/70R15	96Q SL
195/50R15	82H SL	205/55ZR16	90W SL	205/60R15	91H SL	185/65R15	88H SL	215/65R16	98V SL	185/70R14	88H SL	215/70R15	98S SL
205/50R16	87V SL	205/55ZR16	91W SL	205/60R16	96V XL	185/65R15	88V SL	235/65R16	103H SL				
205/50ZR16	87W SL	205/55ZR16	94W XL	215/60R16	95H SL	195/65R15	91V SL						
		215/55R16	97V XL	215/60R16	95V SL								
		215/55ZR16	97W XL	225/60R16	98H SL								





- 1 All-season tire brings a wide range of adaptability.
- 2 Wear resistance tread formula highly increases tire mileage.
- 3 Variable pitch sequence tread design brings low noise.

60				65				60												
185/60R14	82H	SL	205/60R15	91V	SL	165/65R13	77Q	SL	195/65R15	95V	XL	145/70R12	69Q	SL	205/70R14	98T	XL			
185/60R15	88V	XL	205/60R15	95H	XL	175/65R14	82H	SL	195/65R15	91V	SL	155/70R13	75S	SL	205/70R15	96Q	SL			
185/60R15	84V	SL	205/60R16	96V	XL	185/65R14	86H	SL	205/65R15	94H	SL	165/70R13	79T	SL	205/70R15	96T	SL			
185/60R15	84H	SL	205/60R16	92H	SL	185/65R15	88H	SL	215/65R15	100H	XL	175/70R13	82H	SL	215/70R15	97S	SL			
195/60R14	86H	SL	215/60R16	95H	SL	185/65R15	88V	SL	215/65R15	96H	SL	175/70R13	82T	SL	215/70R15	98S	SL			
195/60R15	88H	SL	215/60R16	95V	SL	195/65R15	95H	XL	215/65R15C	104/102T		175/70R14	84T	SL	195/70R15C	104/102R	SL			
195/60R15	88V	SL	235/60R16	100H	SL	75						175/70R14	88S	XL	195/70R15C	100/98Q	SL			
205/60R15	91H	SL	235/60R16	100V	SL							185/70R14	88T	SL	195/70R15C	98/96Q	SL			
						215/75R15	100S	SL							195/70R14	95T	XL	195/70R15LT	104/101R	SL
												195/70R14	91T	SL	195/70R15LT	99/96Q	SL			





- 1 Shoulder grooves improve handling on dry and wet road.
- 2 With 4 drain grooves water can be cleaned efficiently on wet ground.
- 3 Optimized pattern block pitch and angle reduce noise effectively.

60		65		70		75	
225/60R17	99H SL	215/65R16	98H SL	225/70R16	103H SL	LT245/75R16	120/116R
235/60R18	103H SL	225/65R17	102H SL	245/70R16	107H SL		
		235/65R17	104H SL				



- 1 White sidewall available.
- 2 With 4 drain grooves water can be cleaned efficiently on wet ground.
- 3 High-strength belt inside improves the shock absorption ability.
- 4 Optimized pattern block pitch and angle reduce noise effectively.

70				75	
245/70R16C	107S	245/70R16C	107T	245/75R15C	109T





- 1 White sidewall available.
- 2 Special profile design, enlarging the tread width, drive stability improved.
- 3 To assure high mileage, reinforced material is used in building the carcass.
- 4 Big curve block design ensures the stable handling on all terrain.

65		70		75	
235/65R17	108T XL	LT235/70R16	104S	LT215/75R15	106/103Q
235/65R17	104T	LT235/70R16	110S	LT235/75R15	110/107Q
				LT245/75R16	120S
				LT245/75R16	120R



- 1 White sidewall available.
- 2 Strong shoulder design improves tread shoulder wearing performance.
- 3 Optimized pattern block pitch and angle reduce noise effectively.
- 4 Deep tread pattern and curve shoulder enhance the cross-country performance.

50		65		70	
285/50R20LT	116Q	225/65R17LT	102Q	225/70R16LT	102Q
		245/65R17LT	111Q	235/70R16LT	104Q
		235/65R17LT	104Q	245/70R16LT	113Q
235/60R18LT	119Q	265/65R17LT	120Q	265/70R16LT	117Q



SUV  
E334



- 1 White sidewall available.
- 2 Wide and deep groove design provides good gripping power in mud terrain.
- 3 Thicker MT sidewall improves anti-puncture performance
- 4 Special protrusions at the bottom of grooves avoid groove crack and clamping stones.

50	60	65	75
LT325/50R22 122Q	275/60R20 114Q	LT285/65R18 125Q	235/75R15LT 116Q
55	LT325/60R20 121Q	70	
LT285/55R20 122Q	LT325/60R18 119Q	LT285/70R17 126Q	37X13.50R22LT 123Q
LT305/55R20 121Q			35X12.50R20LT 121Q

SUV  
E335



- 1 Wear-resistance formula ensures high mileage.
- 2 Dog-leg pattern provides good drainage performance
- 3 Equally distributed sipes make a good grip performance on wet road

75
235/75R15LI 116Q





- 1 Wear-resistance formula ensures high mileage.
- 2 Wider groove design improves water cleaning efficiency.
- 3 Optimized pattern block design brings low noise.

7.00R15LT 109/105N	7.50R16LT 116/111N	ST225/90R16	124M
7.00R16LT 111/107N	7.50R16LT 120/116N		
7.00R16LT 115/110N	7.50R16LT 122/118N		



- 1 Wear-resistance formula ensures high mileage.
- 2 Dog-leg pattern provides good drainage performance
- 3 Equally distributed sipes make a good grip performance on wet road

175R14C	99/97R	185R15C	103/102N
185R14C	102/100Q	195R14C	105/103N





- 1 Wear-resistance formula ensures high mileage.
- 2 Intensive tread block design provides super long durability.
- 3 Wider groove design improves water cleaning efficiency.

195/75R16C	107/105R
205/65R16C	113/111Q



- 1 Wear-resistance formula ensures high mileage.
- 2 Intensive tread block design provides super long durability.
- 3 Wider groove design improves water cleaning efficiency.

155R12C	88/86N	175R13C	97/95Q	195/50R13C	104/101N	205/70R14C	94/91Q
155R13C	85/83Q	195R15C	101/100N	195/55R10C	98/96N	205/70R15C	104/102R
155R13C	90/88R	195R15C	106/104N	185/60R12C	104/101N	205/70R15C	106/104S
165R13C	89/88Q	205R14C	107/105R	195/60R12C	104/102N	205/70R15C	106/104R
165R13C	94/93R	215R15C	109/107S	155/70R12C	104/102N	195/75R16C	107/105R
175R13C	92/90Q	215R15C	109/107T	195/70R15C	104/102R	205/65R16C	107/105R



- 1 Variable pitch sequence tread design brings low noise.
- 2 High-strength belt inside improves the shock absorption ability.
- 3 Optimized pattern design improves the grip performance.

75		85	
P235/75R15	105H	185/85R16C	105/103L
		185/85R16C	111/109L



- 1 White sidewall available.
- 2 Wear-resistance formula ensures high mileage.
- 3 Optimized pattern design improves the grip performance.
- 4 Wider groove design improves water cleaning efficiency.

195R14C	106P	215/70R15C	106R	205/75R14C	109S
195R15C	106S	215/70R15C	106S	205/75R15C	106S





**LTR**  
**STP1**



- 1 Designed for trailer.
- 2 With 4 drain grooves water can be cleaned efficiently on wet ground.
- 3 Soft middle tread and tough shoulder make sure the adaptability to all terrain.

75				80			
ST205/75R14 100/96Q	ST205/75R15 101/97N	ST215/75R14 102/98Q	ST225/75R15 113/108N	ST175/80R13 91/87Q	ST235/80R16 123/119Q		
ST205/75R14 100/96N	ST205/75R15 107/102Q	ST215/75R14 102/98N	ST225/75R15 117/112Q	ST175/80R13 91/87N	ST235/80R16 123/119N		
ST205/75R14 105M	ST205/75R15 107/102N	ST215/75R14 102M	ST225/75R15 117/112N	ST175/80R13 91M	ST235/80R16 123M		
ST205/75R15 101/97Q	ST205/75R15 107M	ST225/75R15 113/108Q	ST225/75R15 117M			85	
						ST235/85R16 129L	



**LTR**  
**P232**



- 1 Wear-resistance formula ensures high mileage.
- 2 Optimized pattern design improves the grip performance.
- 3 Wider groove design improves water cleaning efficiency.

145R12LT 80/78Q	165/70R13LT 88/86Q	175/70R14LT 95/93Q
145R12LT 86/84Q	165/70R13LT 100/98Q	



**Winte**  
**F1RE F1TG 100**



- 1 Designed for light truck
- 2 High grade rubber is used to deliver enough gripping power on the snow/ice terrain.
- 3 Zigzag sipes on tread provide more gripping power on winter road condition.
- 4 Big block pattern design improves gripping ability on heavy load.

55	60	65	70
205/55R16 90H SL	185/60R14 86H XL	195/65R15 91H SL	165/70R13 79T SL
205/55R16 91H SL			175/70R14 88T XL





- 1 Designed for passenger cars
- 2 High grade rubber is used to deliver enough gripping power on the snow/ice terrain.
- 3 Zigzag sipes on tread provide more gripping power on winter road condition.
- 4 Open shoulder design brings self-clean of water and snow.

45		55		60		65			70				
225/45R17	94V XL	205/55R16	90V SL	185/60R14	86H XL	175/65R14	82T SL	195/65R15	95T XL	165/70R13	79T SL	215/70R15	98T SL
225/45R17	94H XL	205/55R16	90H SL	185/60R14	82H SL	175/65R14	84T SL	205/65R15	94H SL	175/70R13	82T SL	215/70R16	101Q SL
225/45R17	90H SL	205/55R16	91V SL	185/60R15	88T XL	175/65R14	86T XL	205/65R15	94V SL	175/70R14	84T SL	225/70R16	103S SL
245/45R17	99S XL	205/55R16	91H SL	195/60R15	88H SL	185/65R14	86H SL	205/65R15	99T XL	175/70R14	88T XL	225/70R16	103T SL
50		215/55R16	97T XL	195/60R15	88T SL	185/65R14	86T SL	215/65R16	98H SL	185/70R14	88T SL	235/70R16	107S SL
		225/55R19	99H SL	205/60R15	91T SL	185/65R15	88H SL	225/65R16	100T SL	195/70R14	91T SL	235/70R16	106T SL
195/50R15	82V SL	235/55R17	99T SL	205/60R15	91H SL	185/65R15	88V SL	225/65R17	102T SL	205/70R15	96T SL	245/70R17	110T SL
195/50R15	82H SL			205/60R16	96H XL	185/65R15	88T SL	235/65R16	103T SL	215/70R15	98S SL	265/70R17	115S SL
				215/60R16	99T XL	195/65R15	91T SL	235/65R17	104T SL	75			
				225/60R16	98T SL	195/65R15	91H SL	245/65R17	107T SL	215/75R15	100S SL	235/75R15	105Q SL
				225/60R17	99H SL	195/65R15	95H XL			235/75R15	105T SL	245/75R16	111S SL
				235/60R18	107H XL					235/75R15	105S SL		



# Winte G200



55		60		65		70	
205/55R16	90V SL	195/60R14	86H SL	185/65R14	86H SL	185/70R14	88T SL
195/55R15	85T SL	195/60R15	88T SL	195/65R15	95T XL	175/70R14	88T XL
		185/60R15	88T XL	175/65R14	86T XL		

- 1 Designed for passenger cars
- 2 High grade rubber is used to deliver enough gripping power on the snow/ice terrain.
- 3 Zigzag sipes on tread provide more gripping power on winter road condition.
- 4 Open shoulder design brings self-clean of water and snow.

# Winte G300



65		70	
165/65R13	77T SL	165/70R13	79T SL
185/65R15	92T XL	175/70R13	82T SL



- 1 Designed for passenger cars
- 2 High grade rubber is used to deliver enough gripping power on the snow/ice terrain.
- 3 Zigzag sipes on tread provide more gripping power on winter road condition.
- 4 Open shoulder design brings self-clean of water and snow.

